

EPD COMPENDIUM // BRICKS



SINCE 1911

We have gathered all Environmental Product Declarations EPDs for our brick product range in this compendium. Sustainability and transparency are central to our values and we understand the importance of accessible environmental documentation. Should you require further technical documentation or assistance in interpreting the data our team is always available to support you.

						EPD MODULES									
01-06-2025			PRODUCT INFORMATION			A1-A3		A4-A5		Danish building regulation regulation (A1-A3, C3-C4)		Full EPD (A1-A5, B1-B7, C1-C4, D)		EPD NR / Expiry	
RT number + format	PRODUCT NAME	Plant	Product weight (gram)	Amount /m²	Weight /m²	A1-A3 Kg CO2/ton	A1-A3 Kg CO2/m²	(6) A4-A5 Kg CO2/ton	A4-A5 Kg CO2/m²	A1-A3, C3-C4 Kg CO2/ton	A1-A3, C3-C4 Kg CO2/m²	Full EPD Kg CO2/ton	Full EPD Kg CO2/m²	EPD NR	EPD / Expiry
RT102 DK-NF	Prima Lucca	Vindø	2229	63	140,43	91,5	12,8	13,6	1,9	95,1	13,3	110,8	15,6	MD-25007-EN	01.03.2030
RT103 DK-NF	Prima Bologna	Vindø	2229	63	140,42	91,5	12,9	13,4	1,9	95,1	13,4	110,7	15,5	MD-25007-EN	01.03.2030
RT103 UK-NF	Prima Bologna	Vindø	2422	60	145,32	91,5	13,3	13,4	1,9	95,1	13,8	110,7	16,1	MD-25007-EN	01.03.2030
RT150 ULT	Ultima	Hammershøj	3770	42	158,34	207,4	32,8	11,9	1,9	211,0	33,4	225,2	35,7	MD-25028-EN	01.03.2030
RT151 ULT	Ultima	Hammershøj	3770	42	158,34	207,6	32,9	11,9	1,9	211,2	33,4	225,4	35,7	MD-25028-EN	01.03.2030
RT153 ULT	Ultima	Hammershøj	3500	42	147,00	89,5	13,2	12,1	1,8	93,0	13,7	107,4	15,8	MD-25029-EN	01.03.2030
RT154 ULT	Ultima	Hammershøj	3500	42	147,00	89,7	13,2	12,1	1,8	93,2	13,7	107,6	15,8	MD-25029-EN	01.03.2030
RT155 ULT	Ultima	Hammershøj	3500	42	147,00	134,2	19,7	12,1	1,8	137,8	20,3	152,1	22,4	MD-25029-EN	01.03.2030
RT156 ULT	Ultima	Hammershøj	3485	42	146,37	134,3	19,7	12,1	1,8	137,8	20,2	152,2	22,3	MD-25029-EN	01.03.2030
RT158 ULT	Ultima	Hammershøj	3590	42	150,78	54,3	8,2	12,0	1,8	57,8	8,7	72,1	10,9	MD-25028-EN	01.03.2030
RT159 ULT	Ultima	Hammershøj	3590	42	150,78	58,2	8,8	12,0	1,8	61,7	9,3	76,0	11,5	MD-25028-EN	01.03.2030
RT160 ULT	Ultima	Hammershøj	3616	42	151,87	103,1	15,7	12,0	1,8	106,7	16,2	120,9	18,4	MD-25029-EN	01.03.2030
RT161 ULT	Ultima	Hammershøj	3770	42	158,34	207,6	32,9	11,9	1,9	211,2	33,4	225,4	35,7	MD-25028-EN	01.03.2030
RT162 ULT	Ultima	Hammershøj	3500	42	147,00	89,4	13,1	12,1	1,8	93,0	13,7	107,3	15,8	MD-25029-EN	01.03.2030
RT163 ULT	Ultima	Hammershøj	3500	42	147,00	89,5	13,2	12,1	1,8	93,0	13,7	107,4	15,8	MD-25029-EN	01.03.2030
RT164 ULT	Ultima	Hammershøj	3685	42	154,77	54,2	8,4	11,9	1,8	57,7	8,9	72,0	11,1	MD-25028-EN	01.03.2030
RT165 ULT	Ultima	Hammershøj	3500	42	147,00	88,0	12,9	12,1	1,8	91,5	13,5	105,9	15,6	MD-25029-EN	01.03.2030
RT201 DK-NF	Alpha yellow smooth wirecut	Gandrup	1734	63	109,24	92,8	10,1	12,4	1,4	96,3	10,5	111,2	12,1	MD-25022-EN	01.03.2030
RT201 DK-NF	Alpha yellow smooth wirecut solid	Gandrup	2278	63	143,48	92,8	13,3	12,4	1,8	96,3	13,8	111,2	16,0	MD-25022-EN	01.03.2030
RT202 DK-NF	Alpha yellow oak wirecut	Gandrup	1734	63	109,24	92,8	10,1	12,4	1,4	96,3	10,5	111,2	12,1	MD-25022-EN	01.03.2030
RT202 DK-NF	Alpha yellow oak wirecut solid	Gandrup	2278	63	143,48	92,8	13,3	12,4	1,8	96,3	13,8	111,2	16,0	MD-25022-EN	01.03.2030
RT205 DK-NF	Alpha yellow antique wirecut	Gandrup	1734	63	109,24	92,8	10,1	12,4	1,4	96,3	10,5	111,2	12,1	MD-25022-EN	01.03.2030
RT205 DK-NF	Alpha yellow antique wirecut solid	Gandrup	2278	63	143,48	92,8	13,3	12,4	1,8	96,3	13,8	111,2	16,0	MD-25022-EN	01.03.2030

						EPD MODULES									
			PRODUCT INFORMATION			A1-A3		A4-A5		Danish building regulation (A1-A3, C3-C4)		Full EPD (A1-A5, B1-B7, C1-C4, D)		EPD NR / Expiry	
RT number + format	PRODUCT NAME	Plant	Product weight (gram)	Amount /m²	Weight /m²	A1-A3 Kg CO2/ton	A1-A3 Kg CO2/m²	(6) A4-A5 Kg CO2/ton	A4-A5 Kg CO2/m²	A1-A3, C3-C4 Kg CO2/ton	A1-A3, C3-C4 Kg CO2/m²	Full EPD Kg CO2/ton	Full EPD Kg CO2/m²	EPD NR	EPD / Expiry
RT207 DK-NF	Classica yellow soft	Gandrup	2092	63	131,76	96,4	12,7	11,9	1,6	100,0	13,2	114,4	15,1	MD-25023-EN	01.03.2030
RT207 UK-NF	Classica yellow soft	Gandrup	2304	60	138,21	96,4	13,3	11,9	1,6	100,0	13,8	114,4	15,8	MD-25023-EN	01.03.2030
RT208 DK-NF	Alpha yellow smooth/flames wirecut	Gandrup	1734	63	109,24	93,8	10,3	12,4	1,4	97,4	10,6	112,3	12,3	MD-25022-EN	01.03.2030
RT208 DK-NF	Alpha yellow smooth/flames wirecut solid	Gandrup	2278	63	143,48	93,8	13,5	12,4	1,8	97,4	14,0	112,3	16,1	MD-25022-EN	01.03.2030
RT209 DK-NF	Classica yellow soft	Vindø	2221	63	139,89	90,0	12,6	13,6	1,9	93,6	13,1	109,3	15,3	MD-25007-EN	01.03.2030
RT210 DK-NF	Classica yellow soft/flames	Gandrup	2045	63	128,80	93,7	12,1	12,2	1,6	97,3	12,5	112,0	14,4	MD-25023-EN	01.03.2030
RT215 DE-RF	Classica yellow/color play	Gandrup	3176	52	165,15	95,0	15,7	10,6	1,8	98,6	16,3	111,8	18,5	MD-25023-EN	01.03.2030
RT215 DK-NF	Classica yellow/color play	Gandrup	2092	63	131,76	95,0	12,5	10,6	1,4	98,6	13,0	111,8	14,7	MD-25023-EN	01.03.2030
RT215 UK-NF	Classica yellow/color play	Gandrup	2304	60	138,21	95,0	13,1	10,6	1,5	98,6	13,6	111,8	15,5	MD-25023-EN	01.03.2030
RT220 DK-NF	Alpha yellow tommerup wirecut	Gandrup	1734	63	109,24	92,8	10,1	12,4	1,4	96,3	10,5	111,2	12,1	MD-25022-EN	01.03.2030
RT220 DK-NF	Alpha yellow tommerup wirecut solid	Gandrup	2278	63	143,48	92,8	13,3	12,4	1,8	96,3	13,8	111,2	16,0	MD-25022-EN	01.03.2030
RT221 DK-NF	Alpha rose wirecut solid	Vindø	2678	63	168,73	70,9	12,0	12,9	2,2	74,4	12,6	89,5	15,1	MD-25007-EN	01.03.2030
RT221 DK-NF	Alpha rose wirecut solid	Gandrup	2350	63	148,05	76,4	11,3	11,7	1,7	80,0	11,8	94,1	13,9	MD-25022-EN	01.03.2030
RT225 SE-NF	Alpha yellow/green wirecut	Gandrup	2434	55	133,87	95,2	12,7	11,5	1,5	98,8	13,2	112,8	15,1	MD-25022-EN	01.03.2030
RT240 DK-NF	Reclaimed (Genbrugssten)	Hammershoj	2194	63	138,22	9,1	1,3	13,6	1,9	12,6	1,7	28,4	3,9	MD-23007-EN	31.03.2028
RT247 DK-NF	ReClay EcoBlend #1	Hammershoj	2244	63	141,40	33,9	4,8	13,5	1,9	37,4	5,3	53,1	7,5	MD-25038-EN	01.03.2030
RT248 DK-NF	ReClay EcoBlend #2	Hammershoj	2225	63	140,19	33,9	4,8	13,6	1,9	37,4	5,2	53,2	7,5	MD-25038-EN	01.03.2030
RT250 DK-NF	Fusion Copenhagen blend wirecut solid	Hammershoj	2300	63	144,91	88,4	12,8	12,2	1,8	91,9	13,3	106,6	15,4	MD-25037-EN	01.03.2030
RT301 DK-NF	Alpha red smooth wirecut	Gandrup	1789	63	112,71	40,4	4,6	12,1	1,4	43,9	5,0	58,5	6,6	MD-25024-EN	01.03.2030
RT301 DK-NF	Alpha red smooth wirecut solid	Gandrup	2548	63	160,52	40,4	6,5	12,1	1,9	43,9	7,1	58,5	9,4	MD-25024-EN	01.03.2030
RT302 DK-NF	Alpha red oak wirecut	Gandrup	1789	63	112,71	40,4	4,6	12,1	1,4	43,9	5,0	58,5	6,6	MD-25024-EN	01.03.2030
RT302 DK-NF	Alpha red oak wirecut solid	Gandrup	2548	63	160,52	40,4	6,5	12,1	1,9	43,9	7,1	58,5	9,4	MD-25024-EN	01.03.2030
RT306 DK-NF	Alpha red antique wirecut	Gandrup	1789	63	112,71	40,4	4,6	12,1	1,4	43,9	5,0	58,5	6,6	MD-25024-EN	01.03.2030
RT306 DK-NF	Alpha red antique wirecut solid	Gandrup	2548	63	160,52	40,4	6,5	12,1	1,9	43,9	7,1	58,5	9,4	MD-25024-EN	01.03.2030
RT307 DE-NF	Classica red soft	Hammershoj	3720	48	178,56	57,7	10,3	12,2	2,2	61,3	10,9	75,7	13,5	MD-25030-EN	01.03.2030
RT307 DE-RF	Classica red soft	Hammershoj	3750	52	195,00	57,7	11,3	12,2	2,4	61,3	11,9	75,7	14,8	MD-25030-EN	01.03.2030
RT307 DK-17	Classica red soft - 17cm	Gandrup	3850	63	242,55	44,4	10,8	11,2	2,7	47,9	11,6	61,7	15,0	MD-25025-EN	01.03.2030
RT307 DK-17	Classica red soft - 17cm	Hammershoj	3830	63	241,29	57,7	13,9	12,2	2,9	61,3	14,8	75,7	18,3	MD-25030-EN	01.03.2030
RT307 DK-NF	Classica red soft	Gandrup	2220	63	139,86	44,4	6,2	11,2	1,6	47,9	6,7	61,7	8,6	MD-25025-EN	01.03.2030
RT307 DK-NF	Classica red soft	Hammershoj	2550	63	160,65	57,7	9,3	12,2	2,0	61,3	9,8	75,7	12,2	MD-25030-EN	01.03.2030
RT307 UK-NF	Classica red soft	Gandrup	2484	60	149,01	44,4	6,6	11,2	1,7	47,9	7,1	61,7	9,2	MD-25025-EN	01.03.2030
RT312 UK-NF	Alpha red woodstock wirecut	Gandrup	1892	60	113,52	44,1	5,0	12,6	1,4	47,7	5,4	62,7	7,1	MD-25024-EN	01.03.2030
RT333 DK-NF	Rustica red	Hammershoj	2290	63	144,27	55,6	8,0	13,5	1,9	59,1	8,5	74,7	10,8	MD-25031-EN	01.03.2030

						EPD MODULES									
			PRODUCT INFORMATION			A1-A3		A4-A5		Danish building regulation (A1-A3, C3-C4)		Full EPD (A1-A5, B1-B7, C1-C4, D)		EPD NR / Expiry	
RT number + format	PRODUCT NAME	Plant	Product weight (gram)	Amount /m²	Weight /m²	A1-A3 Kg CO2/ton	A1-A3 Kg CO2/m²	(6) A4-A5 Kg CO2/ton	A4-A5 Kg CO2/m²	A1-A3, C3-C4 Kg CO2/ton	A1-A3, C3-C4 Kg CO2/m²	Full EPD Kg CO2/ton	Full EPD Kg CO2/m²	EPD NR	EPD / Expiry
RT390 DK-17	Basic for water scrubbing - 17cm	Hammershoj	3830	63	241,29	56,6	13,7	12,4	3,0	60,2	14,5	74,9	18,1	MD-25030-EN	01.03.2030
RT390 DK-NF	Basic for water scrubbing	Hammershoj	2550	63	160,65	56,6	9,1	12,4	2,0	60,2	9,7	74,9	12,0	MD-25030-EN	01.03.2030
RT391 DK-NF	Basic for water scrubbing	Vindø	2221	63	139,92	90,0	12,6	13,6	1,9	93,5	13,1	109,3	15,3	MD-25007-EN	01.03.2030
RT392 DK-NF	Basic for water scrubbing	Hammershoj	2400	63	151,20	60,6	9,2	13,3	2,0	64,1	9,7	79,6	12,0	MD-25030-EN	01.03.2030
RT392 DK-NF	Basic for water scrubbing	Vindø	2400	63	151,20	73,2	11,1	13,3	2,0	76,8	11,6	92,2	13,9	MD-25008-EN	01.03.2030
RT404 DE-NF	Classica rotbunt	Gandrup	3513	48	168,60	86,2	14,5	10,4	1,7	89,7	15,1	102,7	17,3	MD-25025-EN	01.03.2030
RT406 DE-RF	Classica red/brown Kloster	Hammershoj	3750	52	195,00	57,0	11,1	12,5	2,4	60,6	11,8	75,3	14,7	MD-25030-EN	01.03.2030
RT406 DK-NF	Classica red/brown Kloster	Hammershoj	2550	63	160,65	57,0	9,2	12,5	2,0	60,6	9,7	75,3	12,1	MD-25030-EN	01.03.2030
RT410 DK-NF	Classica yellow Classic	Gandrup	2009	63	126,54	96,2	12,2	12,3	1,6	99,7	12,6	114,5	14,5	MD-25025-EN	01.03.2030
RT411 UK-NF	Alpha Bladon Dark Red wirecut	Gandrup	1856	60	111,36	44,8	5,0	12,7	1,4	48,4	5,4	63,5	7,1	MD-25024-EN	01.03.2030
RT412 DK-NF	Classica yellow/green Malakit	Gandrup	1996	63	125,72	97,6	12,3	12,3	1,6	101,1	12,7	115,9	14,6	MD-25023-EN	01.03.2030
RT413 UK-NF	Alpha Blenheim wirecut	Gandrup	1878	60	112,68	44,9	5,1	12,6	1,4	48,4	5,5	63,5	7,2	MD-25024-EN	01.03.2030
RT418 DK-NF	Classica red/brown Fyrkat	Vindø	2447	63	154,16	37,5	5,8	13,2	2,0	41,0	6,3	56,4	8,7	MD-25009-EN	01.03.2030
RT425 DK-NF	Classica Rose Miletegl	Gandrup	2177	63	137,15	83,6	11,5	12,0	1,6	87,1	11,9	101,6	13,9	MD-25026-EN	01.03.2030
RT426 UK-NF	Classica rose reduced	Gandrup	2636	60	158,16	83,1	13,1	11,2	1,8	86,6	13,7	100,4	15,9	MD-25026-EN	01.03.2030
RT433 DE-RF	Classica golden Vesterhav	Gandrup	3469	50	173,43	81,8	14,2	11,3	2,0	85,4	14,8	99,2	17,2	MD-25026-EN	01.03.2030
RT433 DK-NF	Classica golden Vesterhav	Gandrup	2217	60	133,02	81,8	10,9	11,3	1,5	85,4	11,4	99,2	13,2	MD-25026-EN	01.03.2030
RT433 UK-NF	Classica golden Vesterhav	Gandrup	2409	60	144,54	81,8	11,8	11,3	1,6	85,4	12,3	99,2	14,3	MD-25026-EN	01.03.2030
RT434 DK-NF	Prima Lava reduced	Gandrup	2220	63	139,86	53,9	7,5	11,7	1,6	57,5	8,0	71,6	10,0	MD-25025-EN	01.03.2030
RT434 UK-NF	Prima Lava reduced	Gandrup	2492	60	149,49	53,9	8,1	11,7	1,7	57,5	8,6	71,6	10,7	MD-25025-EN	01.03.2030
RT435 DK-NF	Classica Rose	Gandrup	2152	63	135,58	77,1	10,5	11,7	1,6	80,7	10,9	94,9	12,9	MD-25026-EN	01.03.2030
RT435 UK-NF	Classica Rose	Gandrup	2560	60	153,57	77,1	11,8	11,7	1,8	80,7	12,4	94,9	14,6	MD-25026-EN	01.03.2030
RT436 DK-NF	Classica red/brown Kirketegl	Gandrup	2220	63	139,86	46,0	6,4	11,7	1,6	49,6	6,9	63,8	8,9	MD-25025-EN	01.03.2030
RT436 UK-NF	Classica red/brown Kirketegl	Gandrup	2452	60	147,12	46,0	6,8	11,7	1,7	49,6	7,3	63,8	9,4	MD-25025-EN	01.03.2030
RT438 DK-NF	Prima Monza	Vindø	2427	63	152,92	57,8	8,8	13,2	2,0	61,4	9,4	76,8	11,7	MD-25009-EN	01.03.2030
RT444 DK-NF	Rustica red/brown	Hammershoj	2290	63	144,27	55,6	8,0	13,5	1,9	59,1	8,5	74,7	10,8	MD-25031-EN	01.03.2030
RT445 DK-NF	Rustica rød/brun Patina	Hammershoj	2290	63	144,27	55,8	8,1	13,5	1,9	59,4	8,6	75,0	10,8	MD-25031-EN	01.03.2030
RT448 DK-NF	Classica Siena	Gandrup	2220	63	139,86	47,6	6,7	11,7	1,6	51,1	7,2	65,3	9,1	MD-25025-EN	01.03.2030
RT448 UK-NF	Classica Siena	Gandrup	2499	60	149,91	47,6	7,1	11,7	1,7	51,1	7,7	65,3	9,8	MD-25025-EN	01.03.2030
RT450 DK-NF	Prima Palermo	Vindø	2380	63	149,92	76,4	11,5	13,3	2,0	80,0	12,0	95,5	14,3	MD-25010-EN	01.03.2030
RT452 DK-NF	Rustica Gotik	Hammershoj	2290	63	144,27	59,3	8,6	13,5	1,9	62,9	9,1	78,5	11,3	MD-25031-EN	01.03.2030
RT453 DK-NF	Rustica Barok	Hammershoj	2290	63	144,27	59,3	8,6	13,5	1,9	62,9	9,1	78,5	11,3	MD-25031-EN	01.03.2030
RT454 DK-NF	Rustica Giallo	Hammershoj	2200	63	138,60	112,4	15,6	13,6	1,9	116,0	16,1	131,7	18,3	MD-25031-EN	01.03.2030

						EPD MODULES									
			PRODUCT INFORMATION			A1-A3		A4-A5		Danish building regulation (A1-A3, C3-C4)		Full EPD (A1-A5, B1-B7, C1-C4, D)		EPD NR / Expiry	
RT number + format	PRODUCT NAME	Plant	Product weight (gram)	Amount /m²	Weight /m²	A1-A3 Kg CO2/ton	A1-A3 Kg CO2/m²	(6) A4-A5 Kg CO2/ton	A4-A5 Kg CO2/m²	A1-A3, C3-C4 Kg CO2/ton	A1-A3, C3-C4 Kg CO2/m²	Full EPD Kg CO2/ton	Full EPD Kg CO2/m²	EPD NR	EPD / Expiry
RT455 DK-NF	Rustica Terracotta	Hammershoj	2290	63	144,27	59,2	8,5	13,5	1,9	62,8	9,1	78,4	11,3	MD-25031-EN	01.03.2030
RT469 DK-NF	Prima Bergamo	Vindø	2380	63	149,94	76,4	11,5	13,3	2,0	80,0	12,0	95,5	14,3	MD-25010-EN	01.03.2030
RT472 DK-NF	Prima Bellagio	Vindø	2309	63	145,46	93,6	13,6	13,4	1,9	97,1	14,1	112,7	16,4	MD-25008-EN	01.03.2030
RT473 DE-NF	Prima Como	Vindø	3323	50	166,15	94,6	15,7	13,4	2,2	98,1	16,3	113,7	18,9	MD-25008-EN	01.03.2030
RT473 DK-FF	Prima Como	Vindø	1722	80	137,78	94,6	13,0	13,4	1,8	98,1	13,5	113,7	15,7	MD-25008-EN	01.03.2030
RT473 DK-NF	Prima Como	Vindø	2261	63	142,45	94,6	13,5	13,4	1,9	98,1	14,0	113,7	16,2	MD-25008-EN	01.03.2030
RT473 UK-NF	Prima Como	Vindø	2490	60	149,38	94,6	14,1	13,4	2,0	98,1	14,7	113,7	17,0	MD-25008-EN	01.03.2030
RT474 DK-NF	Prima Torino	Vindø	2290	63	144,27	92,9	13,4	13,4	1,9	96,4	13,9	112,1	16,2	MD-25008-EN	01.03.2030
RT475 DK-NF	Prima Bari	Vindø	2434	63	153,35	57,2	8,8	13,1	2,0	60,8	9,3	76,1	11,7	MD-25009-EN	01.03.2030
RT475 UK-NF	Prima Bari	Vindø	2675	60	160,50	57,2	9,2	13,1	2,1	60,8	9,8	76,1	12,2	MD-25009-EN	01.03.2030
RT477 DK-NF	Prima Montalcino	Vindø	2291	63	144,32	77,4	11,2	13,4	1,9	80,9	11,7	96,5	13,9	MD-25010-EN	01.03.2030
RT478 DE-NF	Prima Lecco	Vindø	3382	50	169,10	92,7	15,7	12,9	2,2	96,2	16,3	111,4	18,8	MD-25008-EN	01.03.2030
RT478 DK-NF	Prima Lecco	Vindø	2299	63	144,84	92,7	13,4	12,9	1,9	96,2	13,9	111,4	16,1	MD-25008-EN	01.03.2030
RT478 UK-NF	Prima Lecco	Vindø	2490	60	149,38	92,7	13,8	12,9	1,9	96,2	14,4	111,4	16,6	MD-25008-EN	01.03.2030
RT479 DK-NF	Prima Cortina	Vindø	2262	63	142,53	76,7	10,9	13,4	1,9	80,2	11,4	95,8	13,7	MD-25010-EN	01.03.2030
RT481 DK-NF	Classica red nuanced	Gandrup	2220	63	139,86	49,8	7,0	11,7	1,6	53,4	7,5	67,6	9,5	MD-25025-EN	01.03.2030
RT481 UK-NF	Classica red nuanced	Gandrup	2462	60	147,72	49,8	7,4	11,7	1,7	53,4	7,9	67,6	10,0	MD-25025-EN	01.03.2030
RT483 DK-NF	Classica old red	Gandrup	2220	63	139,86	47,7	6,7	11,5	1,6	51,2	7,2	65,3	9,1	MD-25025-EN	01.03.2030
RT483 UK-NF	Classica old red	Gandrup	2667	60	159,99	47,7	7,6	11,5	1,8	51,2	8,2	65,3	10,4	MD-25025-EN	01.03.2030
RT485 DK-NF	Prima Meda	Gandrup	2090	63	131,67	94,5	12,4	12,1	1,6	98,0	12,9	112,7	14,8	MD-25023-EN	01.03.2030
RT486 DK-NF	Prima Alba	Gandrup	2090	63	131,67	94,5	12,4	12,1	1,6	98,0	12,9	112,7	14,8	MD-25023-EN	01.03.2030
RT488 DK-NF	Prima Lido	Gandrup	2090	63	131,67	94,6	12,5	12,1	1,6	98,2	12,9	112,8	14,8	MD-25023-EN	01.03.2030
RT489 DK-NF	Prima Maroon ReClay	Vindø	2295	63	144,58	58,8	8,5	13,4	1,9	62,3	9,0	78,0	11,3	MD-25011-EN	01.03.2030
RT490 DK-NF	Prima Ruby ReClay	Vindø	2256	63	142,16	58,7	8,3	13,5	1,9	62,3	8,9	78,0	11,1	MD-25011-EN	01.03.2030
RT491 DK-NF	Prima Greystone ReClay	Vindø	2276	63	143,37	81,1	11,6	13,5	1,9	84,7	12,1	100,3	14,4	MD-25011-EN	01.03.2030
RT496 DK-NF	Prima Messina	Vindø	2360	63	148,67	75,6	11,2	13,3	2,0	79,2	11,8	94,7	14,1	MD-25010-EN	01.03.2030
RT497 DK-NF	Prima Bolzano	Vindø	2222	63	139,97	100,6	14,1	13,6	1,9	104,2	14,6	119,9	16,8	MD-25007-EN	01.03.2030
RT510 DK-NF	Unika blackish blue	Hammershoj	2550	63	160,65	105,8	17,0	13,1	2,1	109,3	17,6	124,6	20,0	MD-25030-EN	01.03.2030
RT512 DK-NF	Unika Novo	Hammershoj	2051	63	129,21	143,6	18,6	12,2	1,6	147,2	19,0	161,9	20,9	MD-25030-EN	01.03.2030
RT515 DK-NF	Rustica rokokko blackish blue	Hammershoj	2290	63	144,27	109,2	15,8	13,5	1,9	112,8	16,3	128,4	18,5	MD-25031-EN	01.03.2030
RT522 DK-NF	Unika Alexandria	Hammershoj	2540	63	160,02	216,2	34,6	13,1	2,1	219,7	35,2	235,0	37,6	MD-25034-EN	01.03.2030
RT526 DE-NF	Unika Windsor	Hammershoj	3670	50	183,50	82,4	15,1	12,8	2,3	86,0	15,8	101,0	18,5	MD-25032-EN	01.03.2030
RT526 DK-NF	Unika Windsor	Hammershoj	2400	63	151,20	82,4	12,5	12,8	1,9	86,0	13,0	101,0	15,3	MD-25032-EN	01.03.2030

						EPD MODULES									
			PRODUCT INFORMATION			A1-A3		A4-A5		Danish building regulation (A1-A3, C3-C4)		Full EPD (A1-A5, B1-B7, C1-C4, D)		EPD NR / Expiry	
RT number + format	PRODUCT NAME	Plant	Product weight (gram)	Amount /m²	Weight /m²	A1-A3 Kg CO2/ton	A1-A3 Kg CO2/m²	(6) A4-A5 Kg CO2/ton	A4-A5 Kg CO2/m²	A1-A3, C3-C4 Kg CO2/ton	A1-A3, C3-C4 Kg CO2/m²	Full EPD Kg CO2/ton	Full EPD Kg CO2/m²	EPD NR	EPD / Expiry
RT526 UK-NF	Unika Windsor	Hammershøj	2500	60	150,00	82,4	12,4	12,8	1,9	86,0	12,9	101,0	15,1	MD-25032-EN	01.03.2030
RT529 DK-NF	Unika Lombardia	Hammershøj	2560	63	161,28	55,6	9,0	13,0	2,1	59,1	9,5	74,4	12,0	MD-25032-EN	01.03.2030
RT531 DK-NF	Unika Colosseum	Hammershøj	2360	63	148,68	107,5	16,0	13,3	2,0	111,1	16,5	126,6	18,8	MD-25032-EN	01.03.2030
RT532 DK-NF	Unika Villanova	Hammershøj	2290	63	144,27	136,2	19,7	13,5	1,9	139,8	20,2	155,4	22,4	MD-25034-EN	01.03.2030
RT533 DK-NF	Unika Medusa	Hammershøj	2400	63	151,20	85,7	13,0	13,3	2,0	89,2	13,5	104,7	15,8	MD-25032-EN	01.03.2030
RT534 DK-NF	Unika Parma	Hammershøj	2380	63	149,94	99,7	15,0	13,3	2,0	103,3	15,5	118,7	17,8	MD-25032-EN	01.03.2030
RT537 DK-NF	Unika Poseidon	Hammershøj	2400	63	151,20	85,4	12,9	13,3	2,0	88,9	13,4	104,4	15,8	MD-25032-EN	01.03.2030
RT539 DK-NF	Unika Hermes	Hammershøj	2360	63	148,68	178,5	26,5	13,3	2,0	182,0	27,1	197,5	29,4	MD-25032-EN	01.03.2030
RT542 DK-NF	Unika Apollon	Hammershøj	2540	63	160,02	84,5	13,5	13,1	2,1	88,1	14,1	103,3	16,5	MD-25033-EN	01.03.2030
RT545 DK-NF	Unika Atlas	Hammershøj	2290	63	144,27	137,6	19,9	13,5	1,9	141,2	20,4	156,8	22,6	MD-25034-EN	01.03.2030
RT546 DK-NF	Unika Attika	Hammershøj	2540	63	160,02	216,0	34,6	13,1	2,1	219,5	35,1	234,8	37,6	MD-25033-EN	01.03.2030
RT547 DE-NF	Unika Helios	Hammershøj	3565	50	178,25	136,9	24,4	12,7	2,3	140,5	25,0	155,5	27,7	MD-25034-EN	01.03.2030
RT547 DK-NF	Unika Helios	Hammershøj	2290	63	144,27	136,9	19,8	12,7	1,8	140,5	20,3	155,5	22,4	MD-25034-EN	01.03.2030
RT548 DK-NF	Unika Hera	Hammershøj	2540	63	160,02	216,3	34,6	12,5	2,0	219,9	35,2	234,6	37,5	MD-25033-EN	01.03.2030
RT548 UK-NF	Unika Hera	Hammershøj	2600	60	156,00	216,3	33,7	12,5	2,0	219,9	34,3	234,6	36,6	MD-25033-EN	01.03.2030
RT550 DE-NF	Unika Kronos	Hammershøj	3565	50	178,25	182,4	32,5	12,8	2,3	186,0	33,2	201,0	35,8	MD-25034-EN	01.03.2030
RT550 DK-NF	Unika Kronos	Hammershøj	2225	63	140,18	182,4	25,6	12,8	1,8	186,0	26,1	201,0	28,2	MD-25034-EN	01.03.2030
RT551 DK-FF	Unika Argos	Hammershøj	1880	80	150,40	205,7	30,9	13,7	2,1	209,2	31,5	225,0	33,8	MD-25033-EN	01.03.2030
RT551 DK-NF	Unika Argos	Hammershøj	2350	63	148,05	205,7	30,5	13,7	2,0	209,2	31,0	225,0	33,3	MD-25033-EN	01.03.2030
RT551 UK-NF	Unika Argos	Hammershøj	2400	60	144,00	205,7	29,6	13,7	2,0	209,2	30,1	225,0	32,4	MD-25033-EN	01.03.2030
RT553 DK-FF	Unika Gaia	Hammershøj	1670	80	133,60	88,8	11,9	14,1	1,9	92,3	12,3	108,5	14,5	MD-25035-EN	01.03.2030
RT553 DK-NF	Unika Gaia	Hammershøj	2130	63	134,19	88,8	11,9	14,1	1,9	92,3	12,4	108,5	14,6	MD-25035-EN	01.03.2030
RT553 UK-NF	Unika Gaia	Hammershøj	2290	60	137,40	88,8	12,2	14,1	1,9	92,3	12,7	108,5	14,9	MD-25035-EN	01.03.2030
RT554 DK-FF	Unika Eos	Hammershøj	1670	80	133,60	88,6	11,8	14,1	1,9	92,2	12,3	108,3	14,5	MD-25035-EN	01.03.2030
RT554 DK-NF	Unika Eos	Hammershøj	2130	63	134,19	88,6	11,9	14,1	1,9	92,2	12,4	108,3	14,5	MD-25035-EN	01.03.2030
RT554 UK-NF	Unika Eos	Hammershøj	2290	60	137,40	88,6	12,2	14,1	1,9	92,2	12,7	108,3	14,9	MD-25035-EN	01.03.2030
RT556 DK-FF	Unika Selene	Hammershøj	1880	80	150,40	206,9	31,1	13,7	2,1	210,5	31,7	226,3	34,0	MD-25034-EN	01.03.2030
RT556 DK-NF	Unika Selene	Hammershøj	2350	63	148,05	206,9	30,6	13,7	2,0	210,5	31,2	226,3	33,5	MD-25034-EN	01.03.2030
RT556 UK-NF	Unika Selene	Hammershøj	2400	60	144,00	206,9	29,8	13,7	2,0	210,5	30,3	226,3	32,6	MD-25034-EN	01.03.2030
RT557 DK-NF	Unika Milos	Hammershøj	2540	63	160,02	82,4	13,2	13,1	2,1	86,0	13,8	101,2	16,2	MD-25035-EN	01.03.2030
RT562 DK-FF	Unika Ares	Hammershøj	1670	80	133,60	88,2	11,8	14,9	2,0	91,8	12,3	108,8	14,5	MD-25035-EN	01.03.2030
RT563 DK-FF	Unika Metis	Hammershøj	1670	80	133,60	89,7	12,0	14,9	2,0	93,3	12,5	110,3	14,7	MD-25035-EN	01.03.2030
RT570 DK-NF	Fusion	Hammershøj	2290	63	144,27	115,0	16,6	13,5	1,9	118,5	17,1	134,2	19,4	MD-25036-EN	01.03.2030

						EPD MODULES									
			PRODUCT INFORMATION			A1-A3		A4-A5		Danish building regulation (A1-A3, C3-C4)		Full EPD (A1-A5, B1-B7, C1-C4, D)		EPD NR / Expiry	
RT number + format	PRODUCT NAME	Plant	Product weight (gram)	Amount /m²	Weight /m²	A1-A3 Kg CO2/ton	A1-A3 Kg CO2/m²	(6) A4-A5 Kg CO2/ton	A4-A5 Kg CO2/m²	A1-A3, C3-C4 Kg CO2/ton	A1-A3, C3-C4 Kg CO2/m²	Full EPD Kg CO2/ton	Full EPD Kg CO2/m²	EPD NR	EPD / Expiry
RT571 DK-NF	Fusion	Hammershøj	2395	63	150,89	67,0	10,1	12,6	1,9	70,5	10,6	85,4	12,9	MD-25036-EN	01.03.2030
RT572 DK-NF	Fusion	Hammershøj	2370	63	149,31	104,0	15,5	13,3	2,0	107,5	16,1	123,0	18,4	MD-25036-EN	01.03.2030
RT574 DK-NF	Fusion	Hammershøj	2300	63	144,90	88,6	12,8	12,0	1,7	92,1	13,4	106,6	15,4	MD-25037-EN	01.03.2030
RT575 DK-NF	Fusion	Hammershøj	2415	63	152,15	176,0	26,8	12,9	2,0	179,5	27,3	194,6	29,6	MD-25037-EN	01.03.2030
RT576 DK-NF	Fusion	Hammershøj	2349	63	148,00	113,0	16,7	13,2	2,0	116,5	17,2	131,9	19,5	MD-25037-EN	01.03.2030
RT578 DK-NF	Fusion	Hammershøj	2404	63	151,45	115,0	17,4	13,3	2,0	118,5	18,0	134,0	20,3	MD-25038-EN	01.03.2030
RT579 DK-NF	Fusion	Hammershøj	2348	63	147,93	123,0	18,2	13,4	2,0	126,5	18,7	142,1	21,0	MD-25038-EN	01.03.2030
RT601 DK-NF	Innova blackwirecut	Vindø	2051	63	129,21	63,6	8,2	13,4	1,7	67,1	8,7	82,7	10,7	MD-25009-EN	01.03.2030
RT601 DK-NF	Innova black wirecut solid	Vindø	2710	63	170,73	63,6	10,9	13,4	2,3	67,1	11,5	82,7	14,1	MD-25009-EN	01.03.2030
RT602 DK-NF	Innova black/grey wirecut	Vindø	2051	63	129,21	60,4	7,8	13,4	1,7	64,0	8,3	79,6	10,3	MD-25009-EN	01.03.2030
RT602 DK-NF	Innova black/grey wirecut solid	Vindø	2710	63	170,73	60,4	10,3	13,4	2,3	64,0	10,9	79,6	13,6	MD-25009-EN	01.03.2030
RT603 DK-NF	Innova grey wirecut	Vindø	2051	63	129,21	60,4	7,8	13,4	1,7	64,0	8,3	79,6	10,3	MD-25009-EN	01.03.2030
RT603 DK-NF	Innova grey wirecut solid	Vindø	2710	63	170,73	60,4	10,3	13,4	2,3	64,0	10,9	79,6	13,6	MD-25009-EN	01.03.2030
RT712 DK-NF	Basic indoor water scrubbing	Vindø	2400	63	151,20	90,6	13,7	13,3	2,0	94,2	14,2	109,7	16,6	MD-25008-EN	01.03.2030
RT720 DK-17	Basic indoor water scrubbing - 17cm	Gandrup	3352	63	211,18	93,6	19,8	11,2	2,4	97,2	20,5	111,0	23,4	MD-25027-EN	01.03.2030
RT720 DK-NF	Basic indoor water scrubbing	Gandrup	2157	63	135,86	93,6	12,7	11,2	1,5	97,2	13,2	111,0	15,1	MD-25027-EN	01.03.2030
RT730 DK-NF	Basic INDOOR light wirecut	Gandrup	1793	63	112,93	70,7	8,0	12,3	1,4	74,3	8,4	89,0	10,0	MD-25027-EN	01.03.2030
RT730 DK-NF	Basic INDOOR light wirecut solid	Gandrup	2230	63	140,46	70,7	9,9	12,3	1,7	74,3	10,4	89,0	12,5	MD-25027-EN	01.03.2030
RT915 DK-NF	Basic 4-OUTDOOR	Gandrup	2220	63	139,86	42,4	5,9	11,9	1,7	46,0	6,4	60,3	8,4	MD-25027-EN	01.03.2030
RT916 DK-NF	Basic 4-OUTDOOR	Gandrup	1777	63	111,95	95,8	10,7	12,9	1,4	99,3	11,1	114,6	12,8	MD-25027-EN	01.03.2030